



Number	17GR0156/02	Contract number	E8090
Issue date	21-04-2018	Scope	(EU) 2016/426 (9 March 2016)
Due date	19-04-2028	Module	B (Type testing)
PIN	0063CS3428	Report number	170201428

EU TYPE EXAMINATION CERTIFICATE (GAR)

Kiwa hereby declares that the condensing boilers, type(s):

LN1GBQ45 - VU 486/5 - 5 (H-CN) ecoTEC plus,
LN1GBQ61 - VU 656/5 - 5 (H-CN) ecoTEC plus,
VC 406/5 - 5 (E-DE) ecoTEC plus, VC 406/5 - 5 (LL-DE) ecoTEC plus,
VC 476/5 - 5 (E-DE) ecoTEC plus, VC 476/5 - 5 (LL-DE) ecoTEC plus,
VC 486/5 - 5 (E-BE) ecoTEC plus, VC 486/5 - 5 (H-INT I) ecoTEC plus,
VC 506/5 - 5 (H-CH) ecoTEC plus, VC 636/5 - 5 (E-DE) ecoTEC plus,
VC 636/5 - 5 (LL-DE) ecoTEC plus, VC 656/5 - 5 (E-BE) ecoTEC plus,
VC 656/5 - 5 (H-INT I) ecoTEC plus, VHR 45/5-5 (EK-NL) ecoTEC plus,
VHR 65/5-5 (EK-NL) ecoTEC plus, VM 486/5 - 5 (H-IT/ES) ecoTEC plus,
VM 656/5 5 (H-IT/ES) ecoTEC plus, VU 446/5 - 5 (H-GB) ecoTEC plus,
VU 486/5 - 5 (H-CZ) ecoTEC plus, VU 486/5 - 5 (H-FR) ecoTEC plus,
VU 486/5 - 5 (H-INT II) ecoTEC plus, VU 486/5 - 5 (H-INT III) ecoTEC plus,
VU 486/5 - 5 (H-INT IV) ecoTEC plus, VU 486/5 - 5 (H-PL) ecoTEC plus,
VU 486/5 - 5 (H-TR) ecoTEC plus, VU 596/5 - 5 (H-PL) ecoTEC plus,
VU 606/5 5 (H-GB) ecoTEC plus, VU 656/5 5 (H-FR) ecoTEC plus,
VU 656/5 5 (H-INT II) ecoTEC plus, VU 656/5 5 (H-INT III) ecoTEC plus,
VU 656/5 5 (H-INT IV) ecoTEC plus, VU 656/5 5 (H-TR) ecoTEC plus,
VU 656/5 - 5 (H-CZ) ecoTEC plus

Solarsystemen und Wärmepumpen
manufactured by

Vaillant GmbH
Remscheid, Germany

meet(s) the essential requirements as described in the
Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

A description of the specific type(s) like model names, appliance types and categories is given in the appendix to this certificate.

Kiwa Nederland B.V.
Wilmsdorf 50
P.O. Box 137
7300 AC APELDOORN
The Netherlands

www.kiwaenergy.com

GASTEC

Luc Leroy, Kiwa

CE
0063



Number	17GR0156/02	Page	1 of 4
Issue date	21-04-2018	Scope	(EU) 2016/426 (9 March 2016)
Due date	19-04-2028	Module	B (Type testing)
PIN	0063CS3428	Report number	170201428

APPENDIX TO EU TYPE EXAMINATION CERTIFICATE (GAR)

Manufacturer: Vaillant GmbH

Types:

Model name	Appliance types	Heat Input	
		CH (kW - Hi)	DHW (kW - Hi)
VC 656/5 - 5 (H-INT I) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P) For AT : C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	11,3	60
VU 656/5 - 5 (H-CZ) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VU 656/5 - 5 (H-FR) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VU 606/5 - 5 (H-GB) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VM 656/5 - 5 (H-IT/ES) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VU 656/5 - 5 (H-INT II) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VU 656/5 - 5 (H-INT IV) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VU 656/5 - 5 (H-INT III) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C83(X), C93(X), B23, B23(P), B33, B53, B53(P)	11,3	60
VU 656/5 - 5 (H-TR) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VC 656/5 - 5 (E-BE) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
LN1GBQ61 - VU 656/5 - 5 (H-CN) ecoTEC plus	C13, C33, C53	11,3	60,5
VC 636/5 - 5 (E-DE) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	11,3	60
VC 636/5 - 5 (LL-DE) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	11,3	60
VHR 65/5-5 (EK-NL) ecoTEC plus	C13, C33, C43, C53, C63, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	60
VU 596/5 - 5 (H-PL) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	11,3	55
VC 506/5 - 5 (H-CH) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	11,3	47
VC 486/5 - 5 (H-INT I) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VU 486/5 - 5 (H-CZ) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VU 486/5 - 5 (H-FR) ecoTEC plus	C13, C33, C43, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2

Kiwa Nederland B.V., Wilmersdorf 50, P.O. Box 137, 7300 AC APELDOORN, The Netherlands



Number	17GR0156/02	Page	2 of 4
Issue date	21-04-2018	Scope	(EU) 2016/426 (9 March 2016)
Due date	19-04-2028	Module	B (Type testing)
PIN	0063CS3428	Report number	170201428

APPENDIX TO EU TYPE EXAMINATION CERTIFICATE (GAR)

VU 446/5 - 5 (H-GB) ecoTEC plus	C13, C33, C43, C53, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VM 486/5 - 5 (H-IT/ES) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VU 486/5 - 5 (H-INT II) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VU 486/5 - 5 (H-INT IV) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VU 486/5 - 5 (H-INT III) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C83(X), C93(X), B23, B23(P), B33, B53, B53(P)	8,1	45,2
VU 486/5 - 5 (H-TR) ecoTEC plus	C13, C33, C43, C53, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VC 486/5 - 5 (E-BE) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53	8,1	45,2
LN1GBQ45 - VU 486/5 - 5 (H-CN) ecoTEC plus	C13, C33, C53	8,1	45,2
VC 406/5 - 5 (E-DE) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	8,1	38
VC 406/5 - 5 (LL-DE) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	8,1	38
VC 476/5 - 5 (E-DE) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	8,1	45,2
VC 476/5 - 5 (LL-DE) ecoTEC plus	C13(X), C33(X), C43(X), C53(X), C93(X), B23, B23(P), B33, B53, B53(P)	8,1	45,2
VU 486/5 - 5 (H-PL) ecoTEC plus	C13, C33, C43, C53, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	45,2
VHR 45/5-5 (EK-NL) ecoTEC plus	C13, C33, C43, C53, C63, C83, C93, B23, B23(P), B33, B53, B53(P)	8,1	42,0

Model name	Appliance categories		Countries
VC 656/5 - 5 (H-INT I) ecoTEC plus	II2H3P	G20-20mbar G31-30mbar G31-50mbar (AT)	Austria (AT), Denmark (DK), Sweden (SE), Norway (NO)
VU 656/5 - 5 (H-CZ) ecoTEC plus	II2H3P	G20-20mbar G31-37mbar	Czech Republic (CZ)
VU 656/5 - 5 (H-FR) ecoTEC plus	II2Esi3P	G20-20mbar G25-25mbar G31-37mbar	France (FR)
VU 606/5 - 5 (H-GB) ecoTEC plus	II2H3P	G20-20mbar G31-37mbar	United Kingdom (UK), Ireland (IE), New Zealand (NZ)
VM 656/5 - 5 (H-IT/ES) ecoTEC plus	II2H3P	G20-20mbar G31-37mbar	Italy (IT), Spain (ES), Portugal (PT)
VU 656/5 - 5 (H-INT II) ecoTEC plus	II2H3P	G20-20mbar G20-25 mbar (HU) G31-30mbar G31-37mbar (SK/HR)	Hungary (HU), (Slovakia (SK), Croatia (HR), Serbia (RS), Bosnia and Herzegovina (BA),



Number	17GR0156/02	Page	3 of 4
Issue date	21-04-2018	Scope	(EU) 2016/426 (9 March 2016)
Due date	19-04-2028	Module	B (Type testing)
PIN	0063CS3428	Report number	170201428

APPENDIX TO EU TYPE EXAMINATION CERTIFICATE (GAR)

			Macedonia (MK), Albania (AL), Montenegro (ME), Kosovo (KO), Romania (RO)
VU 656/5 - 5 (H-INT IV) ecoTEC plus	II _{2H3P}	G20- 13(20) mbar (RU) G20-20mbar G31-30mbar	Russia (RU), Ukraine (UA), Belarus (BY), Moldova (MD), Kazakhstan (KZ)
VU 656/5 - 5 (H-INT III) ecoTEC plus	II _{2H3P}	G20-20mbar G31-37mbar	Slovenia (SL), Greece (GR), Estonia (EE), Lithuania (LT), Latvia (LV), Bulgaria (BG)
VU 656/5 - 5 (H-TR) ecoTEC plus	II _{2H3P}	G20-20mbar G31-37mbar	Turkey (TR)
VC 656/5 - 5 (E-BE) ecoTEC plus	I _{2E(S)} , I _{3P}	G20-20mbar G31-37mbar	Belgium (BE)
LN1GBQ61 - VU 656/5 - 5 (H-CN) ecoTEC plus	I _{2H}	G20-20mbar	China (CN)
VC 636/5 - 5 (E-DE) ecoTEC plus	II _{2ELL3P} , I _{2E}	G20-20mbar G25-20mbar (DE) G31-50mbar	Germany (DE), Luxembourg (LU)
VC 636/5 - 5 (LL-DE) ecoTEC plus	II _{2ELL3P}	G20-20mbar G25-20mbar (DE) G31-50mbar	Germany (DE)
VHR 65/5-5 (EK-NL) ecoTEC plus	II _{2EK3P}	G20-20mbar G25.3-25mbar G31-30mbar	The Netherlands (NL)
VU 596/5 - 5 (H-PL) ecoTEC plus	II _{2ELW3P}	G20-20mbar G27-20mbar G31-37mbar	Poland (PL)
VC 506/5 - 5 (H-CH) ecoTEC plus	II _{2H3P}	G20-20mbar G31-50mbar	Switzerland (CH)
VC 486/5 - 5 (H-INT I) ecoTEC plus	II _{2H3P}	G20-20mbar G31-30mbar G31-50mbar (AT)	Austria (AT), Denmark (DK), Sweden (SE), Norway (NO)
VU 486/5 - 5 (H-CZ) ecoTEC plus	II _{2H3P}	G20-20mbar G31-37mbar	Czech Republic (CZ)
VU 486/5 - 5 (H-FR) ecoTEC plus	II _{2Esi3P}	G20-20mbar G25-25mbar G31-37mbar	France (FR)
VU 446/5 - 5 (H-GB) ecoTEC plus	II _{2H3P}	G20-20mbar G31-37mbar	United Kingdom (UK), Ireland (IE), New Zealand (NZ)
VM 486/5 - 5 (H-IT/ES) ecoTEC plus	II _{2H3P}	G20-20mbar G31-37mbar	Italy (IT), Spain (ES), Portugal (PT)
VU 486/5 - 5 (H-INT II) ecoTEC plus	II _{2H3P}	G20-20mbar G20-25 mbar (HU)	Hungary (HU), (Slovakia (SK), Croatia (HR), Serbia (RS), Bosnia and



Number	17GR0156/02	Page	4 of 4
Issue date	21-04-2018	Scope	(EU) 2016/426 (9 March 2016)
Due date	19-04-2028	Module	B (Type testing)
PIN	0063CS3428	Report number	170201428

APPENDIX TO EU TYPE EXAMINATION CERTIFICATE (GAR)

		G31-30mbar G31-37mbar (SK/HR)	Herzegovina (BA), Macedonia (MK), Albania (AL), Montenegro (ME), Kosovo (KO), Romania (RO)
VU 486/5 - 5 (H-INT IV) ecoTEC plus	II _{2H3P}	G20- 13(20) mbar (RU) G20-20mbar G31-30mbar	Russia (RU), Ukraine (UA), Belarus (BY), Moldova (MD), Kazakhstan (KZ)
VU 486/5 - 5 (H-INT III) ecoTEC plus	II _{2H3P}	G20-20mbar G31-37mbar	Slovenia (SL), Greece (GR), Estonia (EE), Lithuania (LT), Latvia (LV), Bulgaria (BG)
VU 486/5 - 5 (H-TR) ecoTEC plus	II _{2H3P}	G20-20mbar G31-37mbar	Turkey (TR)
VC 486/5 - 5 (E-BE) ecoTEC plus	I _{2E(S)} , I _{3P}	G20-20mbar G31-37mbar	Belgium (BE)
LN1GBQ45 - VU 486/5 - 5 (H-CN) ecoTEC plus	I _{2H}	G20-20mbar	China (CN)
VC 406/5 - 5 (E-DE) ecoTEC plus	II _{2ELL3P} , I _{2E}	G20-20mbar G25-20mbar (DE) G31-50mbar	Germany (DE), Luxembourg (LU)
VC 406/5 - 5 (LL-DE) ecoTEC plus	II _{2ELL3P}	G20-20mbar G25-20mbar (DE) G31-50mbar	Germany (DE)
VC 476/5 - 5 (E-DE) ecoTEC plus	II _{2ELL3P} , I _{2E}	G20-20mbar G25-20mbar (DE) G31-50mbar	Germany (DE), Luxembourg (LU)
VC 476/5 - 5 (LL-DE) ecoTEC plus	II _{2ELL3P}	G20-20mbar G25-20mbar (DE) G31-50mbar	Germany (DE)
VU 486/5 - 5 (H-PL) ecoTEC plus	II _{2ELW3P}	G20-20mbar G27-20mbar G31-37mbar	Poland (PL)
VHR 45/5-5 (EK-NL) ecoTEC plus	II _{2EK3P}	G20-20mbar G25.3-25mbar G31-30mbar	The Netherlands (NL)

Standards:
EN 15502-1:2012 + A1:2015, EN 15502-2-1:2012 + A1:2016

Remark:
Flue type C43(x) (common flue system with a maximum of 5 appliances) according the applicable installation instructions and mounting instructions mentioned in the flue book manuals for related appliances and countries.